

HTML TAG SHEET

Basic Tags	
Tag	Description
<body></body>	Defines the body of the web page
<body bgcolor="pink">	Sets the background colour of the web page
<body text="black">	Sets the colour of the body text
<head></head>	Contains information about the web page
<html></html>	Creates an HTML document – starts and ends a web page
<title></title>	Defines a title for the web page
 	Inserts a line break
<!-- -->	Comment
Text Tags	
Tag	Description
<h1></h1>	Creates the largest heading
<h6></h6>	Creates the smallest heading
	Creates bold text
<i></i>	Creates italic text
	Sets size of font, from "1" to "7"
 	Sets font colour
	Sets font type
Links Tags	
Tag	Description
	Creates a hyperlink
	Creates an image link
	Creates a target location in the document
	Links to a target location created somewhere else in the document
Formatting Tags	
Tag	Description
<p></p>	Creates a new paragraph
<p align="left">	Aligns a paragraph to the "left" (default), can also be "right" or "center"
	Creates a numbered list
<ol type="A", "a", "I", "i", "1">	Defines the type of numbering used
	Creates a bulleted list
<ul type="disc", "square", "circle">	Defines the type of bullets used

Formatting Tags continued	
Tag	Description
	Inserted before each list item, and adds a number or symbol depending on the type of list selected
	Adds an image
	Aligns an image: can be "left", "right", "bottom", "top", "middle"
<align="center">	Aligns an image to the "center"
	Sets the size of the border around an image
	Sets the height and width of an image
	Displays alternative text when the mouse hovers over the image or when the image is not found
<hr/>	Inserts a horizontal line
<hr size="3"/>	Sets size (height) of a line
<hr width="80%"/>	Sets the width of a line, in percentage or absolute value
<hr color="ff0000"/>	Sets the colour of the line
Table Tags	
Tag	Description
<table></table>	Creates a table
<tr></tr>	Creates a row in a table
<td></td>	Creates a cell in a table
<th></th>	Creates a table header (a cell with bold, centred text)
<table width="50">	Sets the width of the table
<table border="1">	Sets the width of the border around the table cells
<table cellspacing="1">	Sets the space between the table cells
<table cellpadding="1">	Sets the space between a cell border and its contents
<tr align="left">	Sets the alignment for cell(s) ("left", can also be "center" or "right")
<tr valign="top">	Sets the vertical alignment for cell(s) ("top", can also be "middle" or "bottom")
<td colspan="2">	Sets the number of columns a cell should span
<td rowspan="4">	Sets the number of rows a cell should span



INPUT MASK CHARACTER SHEET

CHARACTER	DESCRIPTION
0	Digit (0 to 9, entry required, plus [+] and minus [-] signs not allowed)
9	Digit or space (entry not required, plus [+] and minus [-] signs not allowed)
#	Digit or space (entry not required; spaces are displayed as blanks while in Edit mode, but blanks are removed when data is saved; plus [+] and minus [-] signs allowed)
L	Letter (A to Z, entry required)
?	Letter (A to Z, entry optional)
A	Letter or digit (entry required)
a	Letter or digit (entry optional)
&	Any character or a space (entry required)
C	Any character or a space (entry optional)
.,:;- /	Decimal placeholder and thousand, date and time separators (The actual character used depends on the settings in the Regional Settings Properties dialog box in the Windows Control Panel.)
<	Causes all characters to be converted to lowercase
>	Causes all characters to be converted to uppercase
!	Causes the input mask to display from right to left, rather than from left to right. Characters typed into the mask always fill it from left to right. You can include the exclamation point anywhere in the input mask.
\	Causes the character that follows to be displayed as the literal character (e.g. \A is displayed as just A).

