



Province of the
EASTERN CAPE
EDUCATION



**NATIONAL
SENIOR CERTIFICATE**

GRADE 12

SEPTEMBER 2022

**AGRICULTURAL SCIENCES P1
MARKING GUIDELINE**

MARKS: 150

This marking guideline consists of 10 pages.

SECTION A**QUESTION 1**

| | | | | |
|-----|--------|------------------------------|----------|------|
| 1.1 | 1.1.1 | B ✓✓ | | |
| | 1.1.2 | D ✓✓ | | |
| | 1.1.3 | C ✓✓ | | |
| | 1.1.4 | A ✓✓ | | |
| | 1.1.5 | B ✓✓ | | |
| | 1.1.6 | B ✓✓ | | |
| | 1.1.7 | A ✓✓ | | |
| | 1.1.8 | D ✓✓ | | |
| | 1.1.9 | B ✓✓ | | |
| | 1.1.10 | A ✓✓ | (10 x 2) | (20) |
| 1.2 | 1.2.1 | B only ✓✓ | | |
| | 1.2.2 | A only ✓✓ | | |
| | 1.2.3 | None ✓✓ | | |
| | 1.2.4 | Both A and B ✓✓ | | |
| | 1.2.5 | A only ✓✓ | (5 x 2) | (10) |
| 1.3 | 1.3.1 | Bile juice ✓✓ | | |
| | 1.3.2 | Bunching/swarming ✓✓ | | |
| | 1.3.3 | Anovulation ✓✓ | | |
| | 1.3.4 | Scrotum/Cremaster muscles ✓✓ | | |
| | 1.3.5 | Dropsy ✓✓ | (5 x 2) | (10) |
| 1.4 | 1.4.1 | Ether extract ✓ | | |
| | 1.4.2 | Topical ✓ | | |
| | 1.4.3 | Chin-ball marker ✓ | | |
| | 1.4.4 | Pistollete ✓ | | |
| | 1.4.5 | Embryo flushing ✓ | (5 x 1) | (5) |

TOTAL SECTION A: 45

SECTION B**QUESTION 2: ANIMAL NUTRITION****2.1 Digestive system of farm animals**

- 2.1.1 **Name of the farm animal**
Pig ✓ (1)
- 2.1.2 **Reason**
It has got a single stomach. ✓ (1)
- 2.1.3 **Indication of how part labelled A differs from that of a fowl.**
Oesophagus of a fowl has a bag like extension (crop), ✓ and that of a pig has no extension (crop). ✓ (2)
- 2.1.4 **Identification of the letter**
(a) **Secretion of rennin** – B ✓ (1)
(b) **Storage of fat-soluble vitamins** – C ✓ (1)
- 2.1.5 **Reason why a pig cannot digest maize stalk**
It has a simple stomach, ✓ with no rumen micro-organisms to digest the maize stalk. ✓ (2)

2.2 Processes involved in the digestion

- 2.2.1 **Re-arranging the processes**
D ✓
A ✓
E ✓
C ✓
B ✓ (5 x 1) (5)
- 2.2.2 **Name of the structure enabling absorption**
Villi ✓ (1)

2.3 Feed types

- 2.3.1 **Classification of feeds**
FEED A – Roughage ✓
FEED B – Concentrates ✓ (2 x 1) (2)
- 2.3.2 **Identification of the feed**
(a) Feed B/concentrates ✓ (1)
(b) Feed A/roughage ✓ (1)
(c) Feed B/concentrates ✓ (1)

2.3.3 Calculation of the nutritive ratio of feed A

$$\text{NR} = 1 : \frac{\% \text{TDN} - \% \text{DP}}{\% \text{DP}} \checkmark$$

$$1 : \frac{56\% - 6\%}{6\%} \checkmark$$

$$1 : 8,33 \checkmark$$

OR

$$\text{NR} = 1 : \frac{\% \text{DNNS}}{\% \text{DP}} \checkmark$$

$$1 : \frac{50\%}{6\%} \checkmark$$

$$1 : 8,33 \checkmark$$

(3)

2.4 Digestibility of hay

2.4.1 Calculation of digestibility co-efficient of the hay

$$\text{DC} = \frac{\text{Dry material intake (kg)} - \text{dry mass of manure (kg)}}{\text{Dry material intake (kg)}} \times \frac{100}{1} \checkmark$$

$$= \frac{12 \text{ kg} - 5 \text{ kg}}{12 \text{ kg}} \times \frac{100}{1} \checkmark$$

$$= 58,3 \checkmark \% \checkmark$$

(4)

2.4.2 ONE supplement to increase palatability and digestibility of the hay

- Supplementing with molasses \checkmark
- Supplementing with NPN \checkmark

(Any 1 x 1)

(1)

2.5 Nutrients deficiency symptoms

2.5.1 Name of the deficiency symptom

ANIMAL A – Goitre \checkmark

ANIMAL B – Curled-toe paralysis \checkmark

(2 x 1)

(2)

2.5.2 Indicate the nutrient deficient

ANIMAL A – Iodine \checkmark

ANIMAL B – Vitamin B2/riboflavin \checkmark

(2 x 1)

(2)

2.5.3 Feed source to correct the deficiency in animal A

Marine salt \checkmark

(1)

2.6 Fodder flow

2.6.1 Number of months in which the veld had no fodder

3 months ✓

(1)

2.6.2 Calculation of the total feed required in May

Number of animals x requirement/kg/day x 31

= 100 x 5 kg x 31 ✓

= 155 00 kg ✓

(2)

[35]

QUESTION 3: ANIMAL PRODUCTION, PROTECTION AND CONTROL**3.1 Increasing production in production units**

3.1.1 **Identification of the production unit**
Production unit B ✓ (1)

3.1.2 **TWO reasons**
• Breeding to maximise production ✓
• Breeding to increase profit ✓ (2)

3.1.3 **TWO basic housing structures found in the production unit B**
• Holding shed ✓
• Feed shed ✓
• Holding pen ✓ (Any 2 x 1) (2)

3.1.4 **TWO reasons to justify a low input cost in production unit A**
• Breeding takes place in the animal's natural environment ✓
• Animals rely on trees for protection against extreme temperatures ✓
• Animals fed on grazing only ✓ (Any 2 x 1) (2)

3.2 Name of the animal displaying behaviours when under stress

(a) **Pawing** – Cattle ✓ (1)
(b) **Snout rubbing** – Pigs ✓ (1)
(c) **Feigned charging movements** – Cattle ✓ (1)

3.3 ONE requirement when moving farm animals along/across the road

Carry a red flag ✓ (1)

3.4 Handling equipment/apparatus

3.4.1 **Indication of the purpose for using equipment**
A – Branding ✓
C – Castrating/tail docking ✓ (2 x 1) (2)

3.4.2 **TWO reasons for the use of apparatus**
• Easy to use/fast ✓
• Cheap ✓
• Bloodless method ✓
• Hygienic method ✓ (Any 2 x 1) (2)


3.4.3 **Name of the equipment**
B – Drenching gun/dosing gun ✓ (1)

3.4.4 **TWO guidelines for handling cattle**

- Do not yell when working with animals ✓
 - Avoid using a cloth swinging in the wind as it will cause animals to baulk ✓
 - Do not approach animals from the back ✓
 - Handler to talk softly to animals when approaching them ✓
 - Do not work with big and small animals in the same crush ✓
 - Use a proper handling facility ✓
 - Use a crush/chute that is wide enough for an animal and with minimal distraction ✓
 - Leave yourself a way to get out if necessary, when you are inside a handling facility ✓
 - Announce your presence when approaching animals through touch ✓
- (Any 2 x 1) (2)

3.5 **Average pulse rate and respiratory rates of different farm animals**

3.5.1 **Bar graph**



Criteria/rubric/marking guideline

- Correct heading ✓
 - x-axis: Correctly calibrated and labelled (Farm animals) ✓
 - y-axis: Correctly calibrated and labelled (Pulse rate and respiratory rate) ✓
 - Bar graph ✓
 - Accuracy ✓
 - Correct units (Heart beats/min and breaths/min) ✓
- (6)

3.5.2 **Explanation of the trend**

Pulse rate is faster ✓ than respiratory rate per minute in all animals ✓

(2)

3.6 Life cycle of a parasite**3.6.1 Classification of the parasite**

Internal parasite ✓

Name

Tapeworm ✓

(2)

3.6.2 Identification of the visible symptom

Proglottids ✓

(1)

3.6.3 Treatment of animals infested with parasite

Administering anthelmintics/de-wormers ✓

(1)

3.7 Animal diseases in farm animals**3.7.1 Name of the pathogen**

B – Bacteria ✓

C – Fungi ✓

(2)

3.7.2 Name of the disease

A – Red water ✓

D – Rift Valley Fever ✓

(2)

3.7.3 Identification of the letter of the symptoms of a disease transmitted by blue tick

A ✓

(1)

[35]

QUESTION 4: ANIMAL REPRODUCTION**4.1 Spermatogenesis**

- 4.1.1 **Name of the organ**
Testis ✓ (1)
- 4.1.2 **Identification of cells**
A – Primary spermatocyte ✓
C – Spermatids ✓ (2)
- 4.1.3 **Type of cell division**
Meiosis 2 ✓ (1)
- 4.1.4 **Name of the part** (1)
(a) Acrosome ✓ (1)
(b) Mitochondrion ✓
- 4.1.5 **TWO similarities between spermatogenesis and oogenesis**
• They both produce haploid cells through meiosis ✓
• They both produce sex cells/gametes ✓ (2 x 1) (2)

4.2 Mating behaviour in bulls

- 4.2.1 **Hormone regulating mating in bulls**
Testosterone ✓ (1)
- 4.2.2 **TWO senses stimulating mating response of bulls**
• Smell ✓
• Sight ✓
• Touch ✓ (Any 2 x 1) (2)

4.3 Stages of parturition

- 4.3.1 **Identification of the process**
Parturition ✓ (1)
- 4.3.2 **Name of the stage**
A – Expulsion/ejection of the placenta ✓
B – Preparatory stage ✓
C – Ejection/expulsion of the foetus ✓ (3)
- 4.3.3 **Hormone causing corpus luteum to regress**
Prostaglandins ✓ (1)

4.3.4 **TWO signs visible when an animal approaches parturition**

- Vulva swells and becomes softer ✓
- Mucus strings flows from the vulva ✓
- The cow urinates and defecates often ✓
- Cow stops eating ✓
- Isolates herself from the herd ✓
- It shows signs of distress and discomfort ✓
- Teats are painfully swollen and milk starts dripping ✓
- The cow is restless and groans ✓
- There may be a change in body temperature ✓
- The belly droops ✓

(Any 2 x 1) (2)

4.4 **Artificial insemination (AI)**

4.4.1 **Re-arrangement of the steps involved in AI in a sequential order**

- Semen collection ✓
- Semen evaluation ✓
- Semen dilution ✓
- Semen storage ✓

(4)

4.4.2 **Indication of the component of a dilutant**

- (a) Egg yolk/glycerol ✓
- (b) Antibiotics ✓
- (c) Buffers ✓

(3)

4.4.3 **Temperature for storing semen over years**

-196 °C ✓

(1)

4.5 **Hormonal changes during oestrus cycle**

4.5.1 **Identification of hormones**

- A – Follicle stimulating hormone/FSH ✓
 C – Oestrogen ✓
 D – Progesterone ✓

(3)

4.5.2 **TWO importance of FSH during oestrus cycle**

- It stimulates the formation of graafian follicles ✓
- Responsible for the production of oestrogen in the graafian follicles ✓

(2)

4.5.3 **Name of the process**

Ovulation ✓

(1)

4.5.4 **Role of luteinizing hormone during ovulation**

It causes the rupturing of the graafian follicle ✓ to release the ovum ✓

(2)

4.5.5 **Stage of oestrus when oestrogen is at its peak**

Oestrus stage ✓

(1)

[35]

TOTAL SECTION B: 105
GRAND TOTAL: 150